



CLICK ANYWHERE FOR MORE DETAILS

MANUAL PREVIEW

Ford

Operator's Manual

6700 & 7700

purchase full manual at

Operator's Manual

JENSALES.COM

or Call 800-443-0625



CLICK ANYWHERE FOR MORE DETAILS

THIS IS A MANUAL PRODUCED BY JENSALES INC. WITHOUT THE AUTHORIZATION OF
FORD OR IT'S SUCCESSORS. FORD AND IT'S SUCCESSORS
ARE NOT RESPONSIBLE FOR THE QUALITY OR ACCURACY OF THIS MANUAL.

TRADE MARKS AND TRADE NAMES CONTAINED AND USED HEREIN ARE THOSE OF OTHERS,
AND ARE USED HERE IN A DESCRIPTIVE SENSE TO REFER TO THE PRODUCTS OF OTHERS.

FO-O-6700,7700

Make: Ford	Model: 2600	Years Made: 1975-1981
HP-PTO: 32	HP-Engine:	HP-Drawbar: 27
HP-Range: 32	Engine-Make:	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 3/158	Transmission-STD:	Optional:
Fwd/Rev Standard: 6/	Fwd/Rev Optional: 8/	Mfwd-Std/Opt:
Tires-Std Front: 5.50-16	Tires-Std Rear: 14.9-24	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: True
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops: OPT	Weight: 4440	New Price: 6436

Make: Ford	Model: 3600	Years Made: 1975-1981
HP-PTO: 40	HP-Engine:	HP-Drawbar: 34
HP-Range: 40	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 3/175	Transmission-STD:	Optional:
Fwd/Rev Standard: 6/	Fwd/Rev Optional: 8/	Mfwd-Std/Opt:
Tires-Std Front: 6.00-16	Tires-Std Rear: 16.9-24	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: True
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops: OPT	Weight: 4415	New Price: 7200

Make: Ford	Model: 6700	Years Made: 1975-1981
HP-PTO: 68.94	HP-Engine:	HP-Drawbar: 56.1
HP-Range: 69	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 4/256	Transmission-STD:	Optional:
Fwd/Rev Standard: 16/	Fwd/Rev Optional:	Mfwd-Std/Opt:
Tires-Std Front: 7.50-16	Tires-Std Rear: 16.9-38	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: True
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops: OPT	Weight: 8510	New Price: 21960

Make: Ford	Model: 7600	Years Made: 1975-1981
HP-PTO: 84.79	HP-Engine:	HP-Drawbar: 65.3
HP-Range: 85	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 4/255	Transmission-STD:	Optional:
Fwd/Rev Standard: 16/	Fwd/Rev Optional:	Mfwd-Std/Opt:
Tires-Std Front: 7.50-18	Tires-Std Rear: 18.4-34	Wheelbase-Inch:
Pto Type:	Pto Speed: 1000	CAT I-3pt Hitch: False
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops: OPT	Weight: 7440	New Price: 13323

Make: Ford	Model: 4100	Years Made: 1975-1981
HP-PTO: 45	HP-Engine:	HP-Drawbar: 39
HP-Range: 45	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 3/183	Transmission-STD:	Optional:
Fwd/Rev Standard: 8/2	Fwd/Rev Optional:	Mfwd-Std/Opt:
Tires-Std Front: 7.50-16	Tires-Std Rear: 16.9-24	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: True
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops:	Weight: 4655	New Price: 9001

Make: Ford	Model: 4600	Years Made: 1975-1981
HP-PTO: 52	HP-Engine:	HP-Drawbar: 43
HP-Range: 52	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 3/201	Transmission-STD:	Optional:
Fwd/Rev Standard: 8/4	Fwd/Rev Optional:	Mfwd-Std/Opt:
Tires-Std Front: 7.50-16	Tires-Std Rear: 16.9-30	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: True
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops:	Weight: 4655	New Price: 9749

Make: Ford	Model: 7700	Years Made: 1975-1981
HP-PTO: 84.38	HP-Engine:	HP-Drawbar: 67.6
HP-Range: 84	Engine-Make: FORD	Engine-Fuel: DIESEL/TURBO
Engine-Cyl(s)-CID: 4/255	Transmission-STD:	Optional:
Fwd/Rev Standard: 16/	Fwd/Rev Optional:	Mfwd-Std/Opt:
Tires-Std Front: 7.50-18	Tires-Std Rear: 18.4-34	Wheelbase-Inch:
Pto Type:	Pto Speed: 1000	CAT I-3pt Hitch: False
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops: OPT	Weight: 8400	New Price: 24307

Paint Codes	
Location	MFG Color Name
WHEELS & FENDERS	FORD GREY ENAMEL
BODY	FORD BLUE ENAMEL
HOOD, ENGINE, AXLES, TRANSMISSION, & FINAL DRIVE	FORD BLUE ENAMEL

UPPER RIGHT FRONT CORNER OF TRANS		
Year		Beginning Serial Number
1975		C450700
1976		C490300
1977		C527300
1978		C560500
1979		C595800
1980		C635700
1981		C660700

Make: Ford	Model: 5600	Years Made: 1975-1981
HP-PTO: 62.54	HP-Engine:	HP-Drawbar: 53.2
HP-Range: 63	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 4/256	Transmission-STD:	Optional:
Fwd/Rev Standard: 16/4	Fwd/Rev Optional: 16/8	Mfwd-Std/Opt: OPT
Tires-Std Front: 7.50-18	Tires-Std Rear: 18.4-34	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: False
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops:	Weight: 7375	New Price: 25755

Make: Ford	Model: 6600	Years Made: 1975-1981
HP-PTO: 70.56	HP-Engine:	HP-Drawbar: 55.6
HP-Range: 71	Engine-Make: FORD	Engine-Fuel: DIESEL
Engine-Cyl(s)-CID: 4/256	Transmission-STD:	Optional:
Fwd/Rev Standard: 8/	Fwd/Rev Optional: 16/	Mfwd-Std/Opt:
Tires-Std Front: 7.50-16	Tires-Std Rear: 18.4-30	Wheelbase-Inch:
Pto Type:	Pto Speed: 540	CAT I-3pt Hitch: True
CAT II-3pt Hitch: False	CAT III-3pt Hitch: False	Hitch Lift:
Hydraulics-Type:	Hyd-Cap:	Hyd-Flow:
Hyd Std Outlets:	Cooling Capacity:	Fuel Tank Capacity:
Cab-Std/A/C; Rops: OPT	Weight: 8510	New Price: 21960

CLICK ANYWHERE FOR MORE DETAILS

FORD

CLICK ANYWHERE FOR MORE DETAILS

MANUAL PREVIEW

JENSALES

OPERATOR'S MANUAL

purchase full manual at

JENSALES.COM

or Call 800-443-0625

6700, 7700

CLICK ANYWHERE FOR MORE DETAILS

CLICK ANYWHERE FOR MORE DETAILS

CONTENTS

MANUAL PREVIEW

international symbols	2
safety precautions	4
controls and instruments	5
electric controls and lights	7
engine and brake controls	9
transmission controls	10
PTO and hydraulic controls	10
cab controls	14
seats	18
operation	19
starting the engine	20
driving the tractor	26 [®]
attaching equipment to the tractor	31
operating the PTO	39
operating the hydraulic system	43
tread setting and dual wheels	53
lubrication and maintenance	63
lubrication and maintenance chart	64
fuels and lubricants	65
periodic maintenance	67
general maintenance	78
storing the tractor	83
troubleshooting	84
specifications	87
safety decals	92
pre-delivery and 50 hour service	93
index	97

JENSALES.COM
or Call 800-443-0625

CLICK ANYWHERE FOR MORE DETAILS

— CONTROLS AND INSTRUMENTS —




Figure 3

Front Lights-Tractor Without Cab

- 1. Front Work Lights
- 2. Dual Beam Headlights




Figure 5

Rear Lights-Tractor Without Cab

- 1. Flasher/Turn Signal Lights
- 2. Tail Light
- 3. Rear Work Light
- 4. Slow Moving Vehicle (SMV) Emblem



Figure 4

Front Lights-Tractor With Cab

- 1. Front Work Lights
- 2. Dual Beam Headlights




Figure 6

Rear Lights-Tractor With Cab

- 1. Flasher/Turn Signal Lights
- 2. Rear Work Lights
- 3. Outside Rear View Mirrors
- 4. Tail Light
- 5. Slow Moving Vehicle (SMV) Emblem

NOTE: Always use the slow moving vehicle (SMV) emblem when traveling on public roads for your protection.



Figure 75
Quick Hitch Installation

- | | |
|--|---|
| <p>A. Installation Position</p> <ol style="list-style-type: none"> 1. Lower Links 2. Lower Link Pins— 3. Regular Hitch Hole 4. Upper Hitch Hole 5. Quick Hitch | <p>B. Installed</p> <ol style="list-style-type: none"> 6. Upper Hook Bolts 7. Upper Link 8. Upper Link Pin 9. Upper Hook |
|--|---|

Position the Quick Hitch, as shown in Figure 75, release the flexible link ends, and install the hitch on the lower links with the lower link pins. Tip the hitch upright and install the upper link and pin.




Figure 76
Hitching Equipment

1. Latches
2. Equipment Mast Pin
3. Distance between Mast Pin and Lower Equipment Pins

4. Roll Pins
5. Bushings
6. Bushing Installed on Implement Lower Pin

CLICK ANYWHERE INDEX FOR MORE DETAILS

Air Cleaner	66
Air Conditioner	14, 79
Alternator	6
Attaching Equipment to Tractor	31

Battery Check	69
Belts	72
Bleeding Injectors	75
Brakes	9, 10, 82
Break-In	20

Cab and Filters	14, 81
Clutch	10, 71
Controls and Instruments	5
Coolant	68, 76
Coolant Immersion Heater	23

Differential Lock	10
Draft Control	12, 43
Drawbars	37
Driving the Tractor	26

Engine Oil	6, 67
Engine Stop	9, 24
Excess Fuel Button	22

Flasher Lights	7, 80
Front Wheel Spindles	69
Fuel Gauge	6
Fuels and Fuel Storage	65
Fuel Filters	68, 76
Fuses	80

General Maintenance	78
Ground Speed	28

Headlights	7
Heater	14
Hourmeter	6
Hydraulic Controls	11, 45
Hydraulic Oil	70, 77

Injection Pump	68, 74
Injectors	74

Lights	7, 80
Load Monitor	12, 43
Lubrication and Maintenance	63

Maintenance Intervals	
10 Hours	67
50 Hours	68
100 Hours	72
300 Hours	72
600 Hours	74
900 and 1200 Hours	76
Annually	76

Oil Pressure Light	6
Operation	19

Position Control	43
Power Steering	68, 75
Pre-Delivery Check	93, 95
Pre-Cleaner Bowl	67
PTO	10, 39

Quick Hitch	35
-------------	----

Remote Cylinders	50
------------------	----

Safety Precautions	4
Seat Belt	18
Semi-Mounted Equipment	45
Specifications	87
Stabilizers	33
Starting the Engine	20
Steering Wheel Tilt	9
Stopping the Engine	24
Storing the Tractor	83

Tachometer	6
Temperature Gauge	6
Thermostat	23
Throttle	9
Tire Inflation	60, 71
Toe-In	55
Tread Settings	53
Troubleshooting	84

Vehicle Weighting	58
-------------------	----

Windows	16
Windshield Wiper and Washer	14, 79