



# International Harvester

Parts Manual  
for **McCORMICK-DEERING**  
**9, 16, 25V & HM24**  
**Mowers**

Parts Manual

**JENSALES.COM**

**or Call 800-443-0625**



THIS IS A MANUAL PRODUCED BY JENSALES INC. WITHOUT THE AUTHORIZATION OF  
**INTERNATIONAL HARVESTER** OR IT'S SUCCESSORS. **INTERNATIONAL HARVESTER** AND IT'S SUCCESSORS  
ARE NOT RESPONSIBLE FOR THE QUALITY OR ACCURACY OF THIS MANUAL.

TRADE MARKS AND TRADE NAMES CONTAINED AND USED HEREIN ARE THOSE OF OTHERS,  
AND ARE USED HERE IN A DESCRIPTIVE SENSE TO REFER TO THE PRODUCTS OF OTHERS.

**IH-P-#9 MWR+**

## INDEX TO MACHINES

CLICK ANYWHERE FOR MORE DETAILS

### MOWERS

|                                                   |          |   |
|---------------------------------------------------|----------|---|
| No. 9 Mower and No. 9 Trailer Mower .....         | Page 5   | 1 |
| No. 16 Series Mower .....                         | Page 87  | 2 |
| No. 25-V Universal Tractor Mower .....            | Page 123 | 3 |
| Attachments (Common to Above Listed Mowers) ..... | Page 229 | 4 |
| HM-24 Mower { Basic Machine .....                 | Page 265 | 5 |
| { Attachments .....                               | Page 289 |   |

### GRINDERS

|                                                         |          |   |
|---------------------------------------------------------|----------|---|
| Grinder (McCormick-Deering) (Hand and Foot Power) ..... | Page 305 | 6 |
| Grinder (Deering) (Hand and Foot Power) .....           | Page 307 |   |
| Grinder (Tractor Power) .....                           | Page 311 | 7 |
| Numerical Index .....                                   | Page 315 | 8 |

CLICK ANYWHERE FOR MORE DETAILS

# LIST OF ABBREVIATIONS


Always use period after abbreviations except after w/, w/o, f/, NC, NF and SAE

al. . . . . aluminum  
 alloy-S. . . . . alloy steel  
 amps. . . . . amperes  
 anld. . . . . annealed  
 approx. . . . . approximately  
 bd-hd. . . . . binding head  
 b-hd. . . . . button head  
 br. . . . . brass  
 bz. . . . . bronze  
 cd-pltd. . . . . cadmium plated  
 cd-pltd-S. . . . . cadmium plated steel  
 chr-pltd. . . . . chromium plated  
 chr-pltd-S. . . . . chromium plated steel  
 C.I. . . . . cast iron  
 ck. . . . . countersunk  
 ck-hd. . . . . countersunk head  
 cl-rec-hd. . . . . clutch recess head  
 cone-pt. . . . . cone point  
 contd. . . . . continued  
 cop. . . . . copper  
 cop-pltd. . . . . copper plated  
 c-pin . . . . . cotter pin  
 corr-res-S. . . . . corrosion-resistant-steel (stainless)  
 cr-rec-hd. . . . . cross recess head  
 C. R. . . . . corrosion resisting  
 cup-pt. . . . . cup point  
 cyls. . . . . cylinders  
 diam. . . . . diameter  
 dld. . . . . drilled  
 dld-f/c-pin . . . . . drilled for cotter pin  
 dld-f/lkg-wire . . . . . drilled for locking wire  
 dog-pt. . . . . dog point  
 f/ . . . . . for  
 fil-hd. . . . . fillister head  
 fin-nk. . . . . fin neck  
 fl-ck-hd. . . . . flat countersunk head  
 fl-fil-hd. . . . . flat fillister head  
 fl-hd. . . . . flat head  
 fl-pt. . . . . flat-point  
 flex. . . . . flexible  
 ft. . . . . foot (or feet)  
 ga. . . . . gauge  
 hd. . . . . head  
 hdls. . . . . headless  
 hex. . . . . hexagon  
 hex-hd. . . . . hexagonal-head  
 hex-socket-hd. . . . . hexagon socket head  
 hp. . . . . horsepower  
 hv. . . . . heavy  
 I.D. . . . . inside diameter

in. . . . . inch or inches  
 lbs. . . . . pounds  
 lentil-hd. . . . . lentil head  
 L.H. . . . . left hand  
 lkg. . . . . locking  
 mach. . . . . machine  
 M.I. . . . . malleable iron  
 NC . . . . . National Coarse Thread  
 NF . . . . . National Fine Thread  
 ni. . . . . nickel  
 ni-pltd-S. . . . . nickel plated steel  
 No. . . . . number  
 NPT . . . . . National pipe thread  
 O.C. . . . . outside circumference  
 O.D. . . . . outside diameter  
 oval-hd. . . . . oval head  
 oz. . . . . ounce  
 parkerized-S. . . . . parkerized steel  
 pltd. . . . . plated  
 pt. . . . . point  
 rd-end . . . . . round end  
 rd-hd. . . . . round head  
 rd-pt. . . . . round point  
 reg. . . . . regular  
 R. H. . . . . right hand  
 S. . . . . steel  
 SAE . . . . . Society of Automotive Engineers  
 s-fin. . . . . semi-finished  
 slotted-hd. . . . . slotted head  
 slotted-bd-hd. . . . . slotted binding head  
 slotted-fil-hd. . . . . slotted fillister head  
 slotted-fl-hd. . . . . slotted flat head  
 slotted-pan-hd. . . . . slotted pan head  
 slotted-rd-hd. . . . . slotted round head  
 sq. . . . . square  
 sq-hd. . . . . square head  
 sq-nk. . . . . square neck  
 std. . . . . standard  
 std-hd. . . . . standard head  
 T. . . . . teeth  
 thd. . . . . thread  
 unfin. . . . . unfinished  
 wagon-box-hd. . . . . wagon box head  
 w/ . . . . . with  
 w/bz. . . . . with bronze  
 w/hex. . . . . with hexagon  
 w/o . . . . . without  
 zn. . . . . zinc  
 zn-coated . . . . . zinc coated  
 zn-pltd. . . . . zinc plated




## NO. 9 MOWER AND NO. 9 TRAILER MOWER



A-21278

Farmall Tractors equipped with Mower Attachment and No. 9 Trailer Mower shown in offset relation for cutting two 7-foot swaths.



A-6514

No. 25-V Tractor Mower and No. 9 Trailer Mower shown in offset relation for cutting two 7-foot swaths.



## NO. 9 MOWER AND NO. 9 TRAILER MOWER

CLICK ANYWHERE FOR MORE DETAILS

### INDEX TO UNITS

| Description                                                                                                                              | List Page | Illust. Page |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------|
| BAR, Coupling.....                                                                                                                       | 15        | 15           |
| BAR, Cutter, Level Cut, Regular.....                                                                                                     | 243       | 242          |
| BOARD, Grass.....                                                                                                                        | 243       | 242          |
| BRACKET, Draft (No. 9 Mower Only).....                                                                                                   | 31        | 30           |
| CLUTCH.....                                                                                                                              | 13        | 13           |
| CONVERSION PARTS, to Convert No. 9 Plain Lift Mower to Vertical Lift Mower (4½ and 5-Ft.)<br>(For 1939 Machines) (No. 9 Mower Only)..... | 22        | .....        |
| CONVERSION PARTS, to Convert No. 9 Plain Lift Mower to Vertical Lift Mower (4½ and 5-Ft.)<br>(For 1940 Machines) (No. 9 Mower Only)..... | 22        | .....        |
| DEVICE, Lifting.....                                                                                                                     | 19        | 18           |
| DOUBLETREE (No. 9 Mower Only).....                                                                                                       | 31        | 30           |
| FRAME, Main.....                                                                                                                         | 11        | 10           |
| GUARD.....                                                                                                                               | 243       | 242          |
| HINGE, Inner Shoe.....                                                                                                                   | 15        | 15           |
| KNIFE.....                                                                                                                               | 243       | 242          |
| LEVER, Tilting.....                                                                                                                      | 15        | 15           |
| NECKYOKE (No. 9 Mower Only).....                                                                                                         | 31        | 30           |
| PARTS, Driving.....                                                                                                                      | 13        | 13           |
| PARTS, Main Axle.....                                                                                                                    | 11        | 10           |
| PARTS, Vertical Lift (4½ and 5-Ft.) (No. 9 Mower Only).....                                                                              | 33        | 33           |
| PITMAN, Ball Bearing.....                                                                                                                | 27        | 26           |
| PITMAN, Plain Bearing.....                                                                                                               | 24        | 24           |
| SHAFT, Flywheel.....                                                                                                                     | 24        | 24           |
| SHOE.....                                                                                                                                | 243       | 242          |
| TOOLS (No. 9 Mower).....                                                                                                                 | 36        | 36           |
| TOOLS (No. 9 Trailer Mower).....                                                                                                         | 74        | 74           |
| TONGUE (No. 9 Mower Only).....                                                                                                           | 31        | 30           |

### ATTACHMENTS

|                                                                                          |     |       |
|------------------------------------------------------------------------------------------|-----|-------|
| BAR, Canning Pea, with Windrower (ZMB-716) (No. 9 Mower Only).....                       | 232 | 232   |
| BAR, Cardo.....                                                                          | 243 | 242   |
| BAR, Lespedeza (Special) (2½-in. Spacing).....                                           | 243 | 242   |
| BAR, Low Cut.....                                                                        | 253 | 252   |
| BAR, Low Cut or Lespedeza (Special) (1½-in. Spacing).....                                | 259 | 258   |
| BAR, Spacing (2½-in.).....                                                               | 243 | 242   |
| BAR, Spacing (2½-in.) (Wide Seat).....                                                   | 243 | 242   |
| BAR, Weed.....                                                                           | 243 | 242   |
| BLOCK, Riveting, Ledger Plate Guard.....                                                 | 36  | ..... |
| BLOCK, Riveting, Knife Section and Wrist Pin.....                                        | 36  | ..... |
| BOARD, Grass, Inner (Special) (ZA-1223) (No. 9 Mower Only).....                          | 237 | ..... |
| BOARD, Grass, Long (Special) (ZA-280) (No. 9 Mower Only).....                            | 237 | ..... |
| BUNCHER (4½, 5 and 6-Ft.) (No. 9 Mower Only).....                                        | 50  | 84    |
| BUNCHER (Close Spacing) (5-Ft. Only) (No. 9 Mower Only).....                             | 52  | ..... |
| DEVICE, Steering (No. 9 Trailer Mower Only).....                                         | 59  | 58    |
| DIVIDER, Outside (No. 9 Mower Only).....                                                 | 56  | ..... |
| DIVIDER, Pea Vine (No. 9 Mower Only).....                                                | 232 | 232   |
| HINGE, Inner Buncher Basket (No. 9 Mower Only).....                                      | 53  | ..... |
| HITCH ANGLE FOR TRAILING BEHIND NO. 25 MOWER (ZMB-308) (No. 9 Trailer Mower Only).....   | 68  | 68    |
| HITCH ANGLE FOR TRAILING BEHIND NO. 25-V MOWER (ZMA-584) (No. 9 Trailer Mower Only)..... | 68  | 68    |
| HITCH, Crawler Tractor (ZMA-156) (No. 9 Mower Only).....                                 | 44  | ..... |
| HITCH, Crawler Tractor (ZMA-549) (No. 9 Mower).....                                      | 44  | ..... |



## NO. 9 MOWER AND NO. 9 TRAILER MOWER

CLICK ANYWHERE FOR MORE DETAILS

### INDEX TO UNITS—Continued


| Description                                                                                                                                  | List Page | Illust. Page |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------|
| ATTACHMENTS—Continued                                                                                                                        |           |              |
| HITCH, Crawler Tractor (ZMA-549) (For T-6, TD-6, T-9, TD-9, T-20, TD-20, T-35, TD-35, T-40 and TD-40 Crawler Tractors) (No. 9 Trailer Mower) | 78        |              |
| HITCH, One-Horse (ZMA-262) (No. 9 Mower Only)                                                                                                | 37        | 80           |
| HITCH, Ox (No. 9 Mower Only)                                                                                                                 | 40        |              |
| HITCH, Ox, Standardized (No. 9 Mower Only)                                                                                                   | 40        |              |
| HITCH, Tractor (For F-20 and F-30 Tractors) (No. 9 Trailer Mower Only)                                                                       | 70        | 70           |
| HITCH, Tractor (For 10-20 Tractor) (ZMA-85) (No. 9 Trailer Mower Only)                                                                       | 76        |              |
| HITCH, Tractor (For 15-30 Tractor) (ZMA-86) (No. 9 Trailer Mower Only)                                                                       | 76        |              |
| HITCH, Tractor (For Farmall 12 and 14 Tractors) (ZMA-226) (No. 9 Trailer Mower Only)                                                         | 69        | 69           |
| HITCH, Tractor (For I-12, O-12, W-12, Fairway-12, I-14, O-14, W-14, and Fairway-14 Tractors) (ZMA-239) (No. 9 Trailer Mower Only)            | 75        |              |
| HITCH, Tractor (For W-30 Tractor) (ZMA-243) (No. 9 Trailer Mower Only)                                                                       | 76        |              |
| HITCH, Tractor (For Farmall A Tractor) (ZMA-650) (No. 9 Trailer Mower Only)                                                                  | 64        | 64           |
| HITCH, Tractor (For Farmall H, M and MD Tractors) (ZMA-516 and ZMA-714) (No. 9 Trailer Mower Only)                                           | 65        | 65           |
| HITCH, Tractor, Steering Tongue (ZMA-161) (No. 9 Mower Only)                                                                                 | 42        | 81           |
| HITCH, Tractor, Stub Tongue (ZMB-159)                                                                                                        | 28        | 79           |
| HITCH, Two-Horse (STW-1092) (No. 9 Mower Only)                                                                                               | 38        | 80           |
| LEVER, Tilting (No. 9 Trailer Mower Only)                                                                                                    | 67        | 67           |
| LIFT, Cutter Bar, Remote Control (No. 9 Trailer Mower Only)                                                                                  | 73        | 73           |
| LIFTER, Grain, No. 2 Automatic (No. 9 Mower Only)                                                                                            | 57        |              |
| NECKYOKE, Double (No. 9 Mower Only)                                                                                                          | 39        |              |
| NECKYOKE, Long or Ox (No. 9 Mower Only)                                                                                                      | 41        |              |
| PARTS FOR CUTTING HIGH (ZA-1227) (No. 9 Mower Only)                                                                                          | 45        |              |
| PARTS FOR CUTTING HIGH WITH PNEUMATIC TIRE OUTER SHOE WHEEL (M 32 363) (No. 9 Mower Only)                                                    | 46        |              |
| REAPING ATTACHMENT (No. 9 Mower Only)                                                                                                        | 53        | 85           |
| RELEASE, Automatic (No. 9 Trailer Mower Only)                                                                                                | 59        | 58           |
| SINGLETREE (Without Hooks) (No. 9 Mower Only)                                                                                                | 39        |              |
| TONGUE (No. 9 Trailer Mower Only)                                                                                                            | 59        | 58           |
| TONGUE, Ox (No. 9 Mower Only)                                                                                                                | 41        |              |
| TONGUE, Stub (No. 9 Trailer Mower Only)                                                                                                      | 59        | 58           |
| TRUCK, Tongue, Type U (No. 9 Mower Only)                                                                                                     | 48        | 83           |
| WHEEL, Caster, Type F (No. 9 Mower Only)                                                                                                     | 45        | 82           |
| WHEEL, Lead (No. 9 Mower Only)                                                                                                               | 46        | 82           |
| WHEEL, Lead, Pneumatic Tire Inner Shoe (No. 9 Mower Only)                                                                                    | 47        |              |
| WHEEL, Main, Pneumatic Tire (No. 9 Mower Only)                                                                                               | 35        | 35           |
| WINDROWER (5, 6 and 7-Ft.) (No. 9 Mower Only)                                                                                                | 238       |              |
| WINDROWER, Green Crop (ZMA-323) (Special)                                                                                                    | 241       | 240          |
| Illustrations of Parts                                                                                                                       |           | 79           |

CLICK ANYWHERE FOR MORE DETAILS



## MAIN FRAME AND MAIN AXLE PARTS

CLICK ANYWHERE FOR MORE DETAILS





## NO. 9 MOWER AND NO. 9 TRAILER MOWER

| REF. NO. | PART NUMBER | DESCRIPTION | YEARS USED     |                           |
|----------|-------------|-------------|----------------|---------------------------|
|          |             |             | No. 9<br>MOWER | No. 9<br>TRAILER<br>MOWER |

## MAIN FRAME AND MAIN AXLE PARTS

|    |    |             |                                                                          |       |       |
|----|----|-------------|--------------------------------------------------------------------------|-------|-------|
| 1  | Q  | 1 376       | KEY, TAPERED (3/8 x 3/8 x .314/.319 x 2-1/4") (FOR PAWL HOLDER)          | 39-47 | 39-47 |
| 1  | Q  | 81          | KEY, GIB, TAPERED (3/8 x 3/8 x .327/.332 x 1-3/4") (FOR PAWL HOLDER)     | 47-   | 47-   |
| 2  | MD | 2 528       | HOLDER, PAWL, RIGHT                                                      | 39-   | 39-   |
| 2  | MD | 2 529       | HOLDER, PAWL, LEFT                                                       | 39-   | 39-   |
| 3  |    | 76 DS       | SPRING, PAWL (12-COILS)                                                  | 39-   | 39-   |
| 4  | M  | 2 531       | WHEEL, MAIN, 5-1/4" FACE (CROSS LUGS)                                    | 39-   |       |
| 4  | M  | 2 530       | WHEEL, MAIN, 4-1/4" FACE (CROSS LUGS)                                    | 39-   |       |
| 4  | MA | 2 533       | WHEEL, MAIN, 4-1/4" FACE (SCALLOPED CENTER RIM)                          | 39-   |       |
| 4  | MA | 2 534       | WHEEL, MAIN, 5-1/4" FACE (SCALLOPED CENTER RIM)                          | 39-   |       |
| 4  | M  | 2 675       | WHEEL, MAIN, 8" TIRE, CROSS LUGS (FOR USE W/FAIRWAY LUGS) (SPECIAL)      |       | 41-   |
| 4  | MA | 2 532       | WHEEL, MAIN, 8" FACE, CROSS LUGS                                         |       | 39-   |
| 5  | MB | 22 826      | CAP, SAND, MAIN WHEEL                                                    | 39-   | 39-   |
| 6  | QB | 3 787       | WASHER, THRUST, 1-3/4" I.D. x 3-1/4" O.D. x No. 11 GA.                   | 39-   | 39-   |
| 7  | MA | 22 439      | OIL SEAL, MAIN AXLE (FOR 1-9/16" SHAFT)                                  | 39-41 | 39-41 |
| 7  | M  | 42 523      | OIL SEAL, MAIN AXLE (FOR 1-9/16" SHAFT)                                  | 41-   | 41-   |
| 8  | Q  | 5 094       | WASHER, PLAIN, 1-19/32" I.D. x 2-13/32" O.D. x No. 20 GA. (REPAIRS ONLY) | 41-   | 41-   |
| 8  | Q  | 383         | WASHER, PLAIN, 1-19/32" I.D. x 2-13/32" O.D. x No. 16 GA.                | 39-   | 39-   |
| 9  | M  | 22 734      | BEARING, ROLLER, MAIN AXLE                                               | 39-   | 39-   |
| 10 | M  | 22 734      | BEARING, ROLLER, MAIN AXLE                                               | 39-   | 39-   |
| 11 | MA | 22 589      | RACE, BEARING, MAIN WHEEL AXLE                                           | 39-40 | 39-40 |
| 11 | ST | 905 A       | RACE, BEARING, MAIN WHEEL AXLE                                           | 40-   | 40-   |
| 12 | Q  | 3 631       | FITTING, LUBRICATION, 1/8"                                               | 39-42 | 39-41 |
| 12 |    | 14 186 DA   | FITTING, LUBRICATION, STRAIGHT, 1/8"                                     | 42-   | 42-   |
| 13 | M  | 22 417      | COVER, TOOL BOX                                                          | 39-   | 39-   |
| 14 | Q  | 217         | FOLLOWS REFERENCE No. 16                                                 |       |       |
| 15 | M  | 488-1/2     | FOLLOWS REFERENCE No. 16                                                 |       |       |
| 16 | MB | 488         | SEAT                                                                     | 39-   | 39-   |
|    |    | 990 054 R91 | { \$ BOLT, CARRIAGE, 1/2-13NC x 1-1/8" (M 488-1/4)                       |       |       |
|    |    |             | { NUT, SQUARE, 1/2-13NC (105 608)                                        |       |       |
|    |    |             | { WASHER, PLAIN, 9/16" SQUARE-HOLE x 1-3/4" O.D. x 1/8" (Q 217)          |       |       |
| 17 | M  | 489         | SPRING, SEAT                                                             | 39-   | 39-   |
|    |    | 13 340 R1   | BOLT, MACHINE, 5/8-11NC x 2"                                             |       |       |
|    |    | 114 820     | NUT, HEX., 5/8-11NC                                                      |       |       |
| 18 | M  | 32 745      | PACKING, GEAR CASE                                                       | 39-40 | 39-40 |
| 18 | M  | 42 063      | GASKET, COVER, GEAR CASE                                                 | 40-   | 40-   |

§ - NOT SUPPLIED SEPARATELY



## NO. 9 MOWER AND NO. 9 TRAILER MOWER

| REF. NO. | PART NUMBER | DESCRIPTION | YEARS USED     |                           |
|----------|-------------|-------------|----------------|---------------------------|
|          |             |             | No. 9<br>MOWER | No. 9<br>TRAILER<br>MOWER |

## MAIN FRAME AND MAIN AXLE PARTS—Continued

|    |    |           |                                                              |       |       |
|----|----|-----------|--------------------------------------------------------------|-------|-------|
| 19 | M  | 2 554     | COVER, GEAR                                                  | 39-40 | 39-40 |
|    |    | 179 882   | SCREW, CAP, HEX-HD., 1/2-13NC X 1-1/8" (2 USED)              |       |       |
|    |    | 179 885   | SCREW, CAP, HEX-HD., 1/2-13NC X 1-1/2"                       |       |       |
|    |    | 103 323   | WASHER, LOCK, 1/2" (3 USED)                                  |       |       |
| 19 | M  | 42 122    | COVER, GEAR CASE                                             | 40-   | 40-   |
|    |    | 179 862   | SCREW, CAP, HEX-HD., 7/16-14NC X 1-1/2" (2 USED)             |       |       |
|    |    | 179 868   | SCREW, CAP, HEX-HD., 7/16-14NC X 2-1/2"                      |       |       |
|    |    | 103 322   | WASHER, LOCK, 7/16" (3 USED)                                 |       |       |
| 20 |    | 76 DS     | SPRING, PAWL (12-COILS)                                      | 39-   | 39-   |
| 21 | M  | 22 555    | PIN, GROOV, 7/16 X 3" (FOR PAWL HOLDER)                      | 39-40 | 39-40 |
| 21 | M  | 42 174    | PIN, GROOV, 7/16 X 3-1/2" (FOR PAWL HOLDER)                  | 40-   | 40-   |
| 22 | DC | 500       | PAWL, MAIN WHEEL                                             | 39-   | 39-   |
| 23 | M  | 2 519     | FRAME, MAIN                                                  | 39-40 | 39-40 |
|    |    | 13 293 RI | BOLT, MACHINE, 1/2-13NC X 1-1/2"                             |       |       |
|    |    | 114 774   | NUT, HEX., 1/2-13NC                                          |       |       |
| 23 | M  | 2 589     | FRAME, MAIN                                                  | 40-   | 40-   |
|    |    | 13 293 RI | BOLT, MACHINE, 1/2-13NC X 1-1/2"                             |       |       |
|    |    | 114 774   | NUT, HEX., 1/2-13NC                                          |       |       |
|    |    |           | PLUG, PIPE, CK., MALLEABLE, 1/2"                             |       |       |
| 24 | M  | 32 773    | STOP, COUPLING BAR (VERTICAL LIFT, 4-1/2 AND 5-FT. ONLY)     | 39-   |       |
|    |    | 114 820   | NUT, HEX., 5/8-11NC (VERTICAL LIFT, 4-1/2 AND 5-FT. ONLY)    |       |       |
| 25 | M  | 151       | FOLLOWS REFERENCE NO. 27                                     |       |       |
| 26 | Q  | 180       | FOLLOWS REFERENCE NO. 27                                     |       |       |
| 27 | Q  | 1 199     | BOLT, MACHINE, OLD., 7/16-14NC X 9-1/2"                      | 39-   | 39-   |
|    | M  | 151 M     | NUT, HORNED, 7/16-14NC                                       |       |       |
| 28 |    |           | PIN, COTTER, 1/8 X 7/8"                                      |       |       |
|    | Q  | 180       | WASHER, PLAIN, 1/2" I.D. X 1-1/2" O.D. X NO. 14 GA. (2 USED) |       |       |

The following Parts are not Illustrated:

|  |   |          |                                                                                                                   |       |       |
|--|---|----------|-------------------------------------------------------------------------------------------------------------------|-------|-------|
|  | D | 2 283    | LATCH, TOOL BOX COVER                                                                                             | 39-   | 39-   |
|  | D | 2 284    | HINGE, TOOL BOX                                                                                                   | 39-40 | 39-40 |
|  | M | 1 271    | HINGE, TOOL BOX                                                                                                   | 40-   | 40-   |
|  |   | 21 825 H | PLUG, EXPANSION, 2-1/2"                                                                                           | 39-   | 39-   |
|  | Q | 290      | WASHER, PLAIN, 1-21/32" I.D. X 3" O.D. X NO. 16 GA. (2 USED)<br>(ON MAIN AXLE NEXT TO WASHER QB 3 787 REF. NO. 6) | 39-   |       |