



CLICK ANYWHERE FOR MORE DETAILS

MANUAL PREVIEW

International Harvester Operator's Manual

TD-35

Diesel

Operator's Manual

JENSALES.COM

or Call 800-443-0625



CLICK ANYWHERE FOR MORE DETAILS

THIS IS A MANUAL PRODUCED BY JENSALES INC. WITHOUT THE AUTHORIZATION OF
INTERNATIONAL HARVESTER OR IT'S SUCCESSORS. INTERNATIONAL HARVESTER AND IT'S SUCCESSORS
ARE NOT RESPONSIBLE FOR THE QUALITY OR ACCURACY OF THIS MANUAL.

TRADE MARKS AND TRADE NAMES CONTAINED AND USED HEREIN ARE THOSE OF OTHERS,
AND ARE USED HERE IN A DESCRIPTIVE SENSE TO REFER TO THE PRODUCTS OF OTHERS.

IH-O-TD35


OPERATOR'S MANUAL

CLICK ANYWHERE FOR MORE DETAILS

TRACTOR

Model TD-35

(Diesel)



JENSALES.COM

or Call 800-443-0625

Including sectional views and parts list

CLICK ANYWHERE FOR MORE DETAILS

International Harvester Co., Chicago, Ill.

CLICK ANYWHERE FOR MORE DETAILS

INDEX

Description	Page No.
Air Vents at Water Trap, Injection Nozzles and Fuel Filter . .	7
Anti-Freezing Solutions.	15
Clutch Hand Lever.	9
Cold Weather Operation	14, 15
Engine Speed Control Hand Lever.	8, 10
Fuel Oil Specifications.	7
Gasoline Operation	4, 5
Gasoline Shut-Off Valve.	10
Gear Shifting.	11
Injection Pump Starting Knob	8
Lincoln Type Lubricating System.	16
Lubrication.	3, 4, 13
Operating Precautions.	2
Preparations for Starting.	6, 7
Spark Control.	8
Starting Release	8
Starting the Engine	9
Starting TracTractor	10
Steering the TracTractor	11, 12
Stopping the Engine.	12
Stopping the TracTractor	12
Winterfront.	4, 5
TRACTRATOR MAINTENANCE	
Air Cleaner.	17, 18
Carburetor	22
Corrective Measures.	44
Engine Clutch (14" Over-Center).	35
Engine Cooling System.	31 to 33
Engine Ignition.	23
Gasoline Strainer.	21
Injection Pump	39 to 42
Magneto.	24 to 29
Main Frame Replacements - Parts.	33
Oil Filters Care	19, 20
Spark Plugs and Cables	23
Steering Brakes.	37
Steering Clutches.	36
Storing TracTractor.	14
Track Assemblies	37, 38
Transmission (Washing)	34
Valves	30, 43
Water Trap	21

TO OWNERS

This TracTractor is designed and built to give good performance and maximum service. Quality materials and good workmanship are employed throughout the entire unit.

The suggestions and requirements for operating outlined in this book are essential to maintain satisfactory performance and economical service. The care and daily attention given the TracTractor will largely determine its maintenance cost and success of operation.

TracTractor Owners should use the extensive facilities offered by McCormick-Deering and International dealers when service is needed that requires the knowledge of an experienced service man. This is advisable as Dealers are kept informed on the best methods of servicing TracTractors and are in a position to give satisfactory service.

CLICK ANYWHERE FOR MORE DETAILS




Illustration No. 4

Engine, Left Side, Showing Fuel Oil Filter, Fuel Injection Pump, etc.

Paragraphs are numbered to correspond with numbers on the illustrations.

SPARK CONTROL

Para. Illust.

- 16 The magneto spark is set in a fixed position for running; no manual operation is necessary.
- 17 The F-4 Magneto used with the Diesel Engine is held in correct timing position by a link on the breaker housing cover arm. When starting, the engine fires on dead center while the impulse coupling is functioning. When the impulse coupling throws out or disengages, operation is direct from the engine drive; then the spark is automatically advanced to 15° and no further attention is necessary.
- 18 The magneto spark is eliminated when the engine changes over to Diesel operation, and is automatically ready for operation when Diesel operation ceases.

BEFORE STARTING ENGINE

- 19 ✓ 4 Turn the knurled hand knob at the drive end of the injection pump until notch in knob is directly toward operator.
- 20 4 Throw in compression starting release by pushing in on release handle, then turn handle to the left and clockwise until starting lever jaw engages with starting release lever.
- 21 6 Place transmission gear shift lever in neutral position.
- 22 5 **Caution:** Set engine (or governor) speed control hand lever in shut-off position (lever pulled back) until the starting device trips from gasoline to Diesel operation. If this is not done, engine will be flooded with fuel oil, exhaust will be extremely smoky and engine will knock when switching to Diesel operation.

CLICK ANYWHERE FOR MORE DETAILS

MANUAL REVIEW

JENSALES®

purchase this manual at

JENSALES.COM

or Call 800-442-0625

CLICK ANYWHERE FOR MORE DETAILS

CLICK ANYWHERE FOR MORE DETAILS

STEERING CLUTCHES



Illustration No. 29A
Showing maximum free movement of R.H. steering clutch handle.




Illustration No. 29

Steering control levers should have a minimum of 2" free movement before clutches start to disengage. See Illustration No. 29A for measuring.

As clutch wears, this free movement decreases. Adjustment should be maintained to prevent damage to clutch parts.

TO ADJUST CLUTCHES

Remove seat cushion. Adjust steering clutch rods (1) and (2) Illustration No. 29, to lengths that will provide proper free movement of steering control levers.

STEERING CLUTCH COMPARTMENT DRAIN

About once a month remove drain plug (3) Illustration No. 28, to drain clutch compartment of any excess lubricant which may have collected there. Replace plug.

CLICK ANYWHERE FOR MORE DETAILS

NUMERICAL INDEX

113

I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.
D		4 988 0	55	5 636 0	107	17 753 0	94
1242 0B	55	5022 0	63	5994 0X	55	18196 0	61
2342 0A	91	5024 0	57	5994 0Y	55	18377 0	73
2345 0A	97	5025 0B	57	5994 0X	55	18377 0	73
2369 0X	61	5027 0A	58	5994 0Y	55	18390 0	109
2370 0	61	5028 0	58	5995 0X	57	18507 0	109
2475 0	87	5049 0A x-2	73	5995 0Y	57	18510 0	91
2546 0BY	78	5050 0X	73	5995 0X	57	18539 0	57
2547 0X	78	5051 0X	73	5995 0Y	57	18558 0	101
2548 0AY	78	5056 0	63	10319 0	55	18558 0	109
2549 0X	78	5056 0	63	10429 0	49	18573 0A	101
2551 0AY	78	5057 0X	63	10481 0	75	18585 0A	49
2557 0X	61	5057 0X	63	10482 0	75	18585 0A	86
2596 0	86	5058 0X	57	10516 0	89	18585 0A	94
2596 0	86	5059 0X	58	10551 0	94	18585 0A	111
2597 0	86	5061 0X	75	10551 0	94	18700 0A	49
2600 0	89	5063 0B	57	10553 0	75	18715 0	86
2617 0X	87	5105 0	94	10634 0	49	18716 0	58
2619 0A	91	5106 0	94	10721 0	83	18716 0	86
2620 0AX	91	5131 0A	61	10722 0	83	18746 0A	57
2621 0	91	5132 0B	61	10723 0	83	18768 0	91
2622 0A	94	5135 0	86	10724 0	83	18768 0	109
2644 0X	91	5139 0	86	10821 0	109	18768 0	109
2645 0GX	49	5143 0X	55	10951 0	58	18770 0	59
2647 0AX	91	5175 0X	101	10959 0	75	18771 0	91
2653 0	94	5176 0X	111	10959 0	86	18771 0	109
2677 0X	109	5197 0	49	10959 0	91	18771 0	109
2681 0AX	97	5198 0B X	111	10961 0	86	18773 0	91
2682 0A	97	5199 0B X	111	10961 0	86	18787 0	88
2695 0X	91	5201 0	101	10961 0	94	18787 0	111
2697 0	91	5202 0	94	10961 0	94	18793 0	51
2710 0	83	5203 0	94	10961 0	94	18883 0	94
2776 0	65	5204 0	51	10962 0	109	18915 0	91
2783 0	97	5205 0A	51	10962 0	91	18916 0	91
2826 0A	109	5206 0A	51	11195 0	68	18918 0A X A	97
2907 0	109	5207 0A	51	11196 0	68	18920 0B	97
3139 0	59	5208 0A X	94	11373 0	87	18923 0A	97
3164 0A X A	55	5209 0A X	94	11374 0A	109	18924 0	97
3168 0CX	55	5210 0	94	11375 0	109	18926 0	97
3169 0EX	55	5212 0	94	11377 0	109	18930 0	97
3175 0	61	5215 0A	101	11657 0	61	18931 0	97
3185 0B X	55	5216 0A	101	11696 0	61	18955 0B X	50
3186 0X	75	5217 0X	101	11712 0	86	18993 0A	83
3187 0A	75	5224 0X	101	11858 0A	112	19052 0	88
3188 0	75	5225 0	101	12737 0A	112	19289 0	112
3190 0X	75	5226 0	101	12740 0	75	19291 0	112
3191 0X	75	5227 0	101	12741 0	75	19292 0	112
3216 0A	61	5228 0	94	12800 0	94	19298 0	94
3272 0A	107	5229 0	94	12801 0	94	19305 0	63
3397 0X	58	5230 0A X	86	12985 0	83	19306 0	63
3401 0A	107	5231 0	88	13055 0	55	19306 0	63
3449 0	87	5236 0A	51	13062 0	63	19306 0	75
3450 0	59	5238 0	94	13083 0	57	19321 0A	51
3451 0X	59	5239 0X	101	13083 0	58	19323 0	112
3690 0A X	67	5240 0X	101	13085 0	75	19324 0	112
3713 0A	55	5244 0	101	13090 0	57	19325 0	112
3731 0	71	5245 0X	49	13147 0	83	19326 0	112
3732 0A X	71	5246 0X	49	13156 0	91	19327 0	112
4080 0	49	5247 0A	49	13199 0	83	19328 0	112
4080 0	83	5249 0X	49	13199 0	91	19329 0	112
4083 0	49	5250 0A	111	13839 0	67	19589 0	107
4085 0	83	5251 0A	111	13839 0	67	19707 0	75
4112 0	49	5252 0A	111	13841 0	67	19760 0	87
4112 0	83	5253 0A	88	14026 0	83	19937 0	97
4222 0	55	5254 0	49	14026 0	91	19940 0A	97
4253 0	55	5298 0X	101	14581 0	73	19975 0	101
4254 0	55	5298 0X	101	14831 0X	83	20050 0	49
4309 0	55	5300 0X	101	14971 0	73	20080 0	97
4447 0B	83	5300 0X	101	15644 0	101	20085 0A	97
4447 0B	91	5302 0	101	15710 0	101	20092 0C	97
4447 0B	97	5314 0X	63	15742 0	91	20156 0	112
4572 0A	50	5318 0A	107	15870 0	71	20157 0	112
4636 0	86	5357 0	107	16007 0	91	20183 0	71
4647 0	86	5358 0	107	16077 0	49	20232 0	107
4710 0	59	5370 0	107	17106 0	94	20289 0	61
4805 0B X	61	5394 0A	101	17107 0	94	20290 0	61
4849 0A X	101	5416 0	107	17116 0	111	20293 0	61
4864 0A X	91	5432 0	107	17190 0	68	20296 0	61
4926 0A X	83	5447 0	107	17241 0	71	20297 0	61
4950 0	58	5502 0X	101	17383 0	94	20298 0A	61
		5503 0X	101	17562 0	57	20299 0	61
		5513 0	107	17692 0	94	20300 0	61
		5514 0	107	17695 0	94	20301 0	61
		5529 0	88	17700 0	87	20302 0A	61
		5635 0	107	17741 0	63	20303 0	61

I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.
203305	61	21583	86	22040	89	24895	55
203306	61	21583	89	22041	89	24899	55
20331	97	21585	86	22045	89	24900	55
20332	83	21585	89	22046	89	24910	55
20332	88	21585	109	22076	86	24911	55
20488	94	21596	89	22105	97	24912	55
20488	111	21597	89	22112	97	24916	64
20584	61	21598	89	22113	97	24917	64
20585	61	21599	89	22114	97	24921	58
20586	61	21600	89	22179	89	24924	58
20683	63	21601	86	22240	86	24925	58
20684	63	21602	86	22284	112	24926	58
20885	87	21603	86	22285	112	24926	75
20886	87	21610	86	22325	97	24929	58
20887	87	21610	86	22338	50	24935	58
20888	87	21611	86	22339	49	24936	58
20889	87	21612	86	22351	109	24937	58
20907	97	21672	86	22352	109	24940	61
20908	97	21673	86	22353	87	24941	61
21249	61	21674	87	22355	49	24943	55
21259	61	21675	87	22357	83	24961	58
21259	61	21676	87	22361	97	24962	58
21300	79	21677	87	22383	49	24964	58
21314	78	21679	83	22409	49	24965	58
21319	78	21690	91	22411	71	24983	83
21322	78	21691	91	22422	88	25004	83
21323	78	21692	91	22422	88	25034	78
21324	78	21693	91	22423	88	25043	58
21327	78	21694	91	22423	88	25063	55
21328	78	21695	91	22425	88	25082	55
21329	78	21696	89	22426	65	25083	55
21330	78	21697	89	22426	88	25084	55
21331	78	21698	89	22431	65	25085	55
21333	78	21699	89	22432	65	25086	55
21340	78	21700	89	22477	65	25087	55
21341	78	21701	89	22478	65	25090	57
21342	78	21702	94	22479	65	25091	55
21343	78	21703	94	22480	97	25092	55
21344	78	21704	94	22482	97	25093	55
21348	78	21705	94	22483	97	25094	55
21349	78	21706	94	22784	71	25095	55
21353	78	21707	94	22785	109	25096	55
21354	78	21708	94	22830	109	25097	55
21356	78	21778	49	22833	109	25098	75
21360	78	21784	89	22834	109	25099	75
21361	78	21784	91	22835	109	25100	75
21362	78	21784	91	22894	58	25101	75
21364	78	21785	97	22927	111	25102	75
21366	78	21786	97	22930	101	25103	75
21367	80	21787	94	22947	86	25104	75
21368	80	21796	101	22947	87	25105	75
21373	80	21797	89	22947	109	25106	75
21383	80	21816	111	22977	94	25107	75
21384	80	21818	94	22977	111	25109	64
21384	80	21819	94	22977	111	25110	75
21388	80	21823	94	23132	51	25111	75
21393	80	21839	61	23133	51	25113	75
21394	80	21854	101	23260	101	25114	75
21397	80	21860	101	23261	101	25115	75
21399	80	21918	101	23272	65	25116	75
21401	78	21918	111	23371	91	25117	75
21409	78	21919	101	23372	91	25121	55
21422	78	21919	111	23373	91	25122	63
21423	79	21923	101	23374	91	25125	57
21425	79	21959	49	23375	91	25125	63
21427	79	21959	109	23380	91	25130	55
21428	79	21968	109	23385	91	25131	55
21429	79	21970	109	23387	91	25132	55
21439	79	21974	94	23388	91	25133	55
21440	78	21974	111	23389	91	25134	55
21441	78	21977	94	23390	91	25135	55
21443	78	21977	111	23393	91	25137	55
21444	78	21983	94	23396	91	25138	55
21542	94	21984	94	23399	91	25140	55
21557	86	21990	97	23397	71	25145	75
21559	91	22024	97	23995	71	25320	59
21560	94	22025	97	24017	61	25322	55
21565	86	22026	97	24672	73	25323	55
21566	86	22027	97	24800	49	25329	71
21569	86	22028	97	24837	65	25332	59
21569	86	22029	97	24838	65	25351	59
21570	109	22030	97	24839	65	25352	59
21572	89	22031	97	24840	65	25354	59
21572	109	22032	97	24853	71	25358	75
21582	109	22033	97	24895	55	25362	59

I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.
25370 0	55	28909 0	71	31442 0 X	59	32696 0	63
25429 0	75	28910 0	71	31478 0 X	71	32698 0	63
25430 0	75	28911 0	71	31536 0	75	32699 0	63
25450 0	55	28919 0	50	31569 0	97	32703 0 X	63
25462 0 A	112	28919 0	50	31570 0	97	32704 0	63
25463 0	112	28940 0	56	31606 0	88	32705 0 X	63
25466 0	112	28944 0 A	71	31636 0	73	32706 0 X	75
25467 0	112	28944 0 A	71	31702 0	78	32707 0	63
25470 0	112	28954 0 A	58	31729 0	56	32709 0	75
25471 0	112	28989 0	50	31782 0	71	32713 0	75
25472 0	112	29046 0 X	56	31839 0	91	32866 0	57
25609 0 A	58	29047 0 A	56	31841 0	91	32866 0	63
25684 0	107	29070 0	56	32032 0 X A	78	32867 0	63
25686 0	107	29109 0	101	32332 0	56	32889 0 A	58
25899 0	112	29115 0 X	83	32333 0	56	32895 0	73
25916 0 X	83	29180 0 A	67	32360 0	63	32896 0	73
25948 0	73	29209 0	75	32374 0	63	32897 0	73
25976 0 EX	83	29256 0 A	88	32380 0	91	32941 0	112
25976 0 EX	83	29352 0	71	32430 0	63	32942 0	56
25982 0	83	29353 0 A X	71	32431 0	63	32948 0	63
26031 0 A	83	29356 0	71	32432 0	63	32948 0 X	63
26032 0	83	29507 0 A	56	32433 0	63	32949 0 X	63
26033 0	61	29547 0	87	32435 0 A X	63	32967 0 A	63
26036 0	83	29658 0	58	32436 0	63	32968 0 A	63
26039 0 A	83	29659 0	58	32437 0	63	32969 0 A	63
26042 0	83	29764 0	56	32438 0	63	32975 0	73
26054 0	112	29780 0	83	32439 0	63	32976 0	73
26118 0 X	65	29781 0 X	83	32441 0	63	33137 0	78
26336 0	78	29802 0	107	32444 0	57	33173 0	68
26452 0	112	29818 0	91	32445 0	58	33175 0	68
26497 0	94	29841 0	63	32447 0	58	33178 0 X	68
26912 0 X	58	29842 0	63	32448 0	58	33178 0 X	68
26916 0	55	29843 0	112	32451 0	57	33302 0	58
26971 0	68	29866 0	101	32454 0	57	33362 0 A X	112
27057 0	101	29898 0	65	32459 0	57	33439 0 A X	91
27129 0	58	29898 0	65	32460 0	57	33443 0	101
27140 0 B X	58	29899 0	71	32461 0	57	33492 0	97
27141 0	58	29899 0	71	32463 0	58	33493 0	97
27236 0	87	29899 0	71	32466 0 X	58	33494 0	97
27237 0	87	29899 0	71	32467 0 X	58	33496 0	97
27238 0	87	29899 0	71	32468 0 X	58	33498 0	97
27246 0	59	29901 0 X	65	32469 0 X	64	33501 0	97
27254 0 B	55	29901 0 X	65	32471 0 A	64	33529 0 X	97
27254 0 B	55	29903 0 X	73	32475 0	64	33530 0	97
27311 0	79	29929 0 X	71	32477 0	64	33533 0 A X	97
27435 0	73	29976 0	49	32479 0	57	33769 0	59
27436 0	73	30083 0	75	32482 0	57	33800 0	63
27444 0	73	30085 0	68	32482 0 B	57	33801 0	63
27445 0 A X	73	30088 0	68	32483 0 A	57	33811 0	49
27452 0	73	30113 0	101	32485 0	57	33811 0	61
27759 0	83	30245 0	59	32486 0 A X	58	33812 0	64
27772 0 A	50	30378 0	78	32493 0	59	33813 0	64
27791 0 B O	56	30379 0	78	32495 0	63	33815 0	61
27792 0	56	30397 0	56	32538 0	63	33816 0	49
27818 0	75	30824 0	61	32569 0	61	33823 0	46
27897 0 C X	55	30857 0	111	32572 0 A X	73	33835 0	86
27897 0 C X	56	30940 0	65	32574 0	73	33836 0	86
28021 0 B	56	30982 0	61	32575 0	73	33837 0	86
28022 0	56	31001 0 A	67	32576 0 X	73	33838 0	86
28420 0 A	56	31115 0	107	32577 0	73	33840 0 A X	86
28616 0	97	31115 0	111	32578 0	73	33841 0	86
28734 0	68	31116 0	111	32581 0 X	73	33843 0	86
28735 0	68	31117 0	111	32582 0	73	33844 0	86
28737 0 X	56	31118 0	101	32585 0 A	73	33845 0	86
28738 0	56	31119 0	101	32586 0	73	33846 0	86
28772 0	67	31121 0	57	32587 0	73	33847 0	86
28773 0 A	67	31121 0	101	32588 0	73	33848 0	86
28778 0 B	67	31229 0	83	32589 0 X	73	33849 0	86
28781 0	67	31231 0	83	32590 0	73	33850 0 X	86
28781 0	67	31232 0	83	32595 0	73	33851 0	86
28783 0 B	67	31233 0 X	83	32597 0	73	33852 0	86
28788 0	50	31234 0	83	32599 0	73	33853 0	86
28789 0	86	31236 0	83	32600 0	73	33859 0	86
28789 0	87	31238 0	83	32601 0	73	33860 0	86
28815 0 A	59	31239 0 A	83	32602 0 X	73	33861 0	87
28850 0 B	58	31240 0	83	32606 0	73	33862 0	87
28855 0	75	31241 0	83	32607 0	73	33865 0	86
28855 0	78	31242 0	83	32608 0 A	73	33865 0	87
28855 0	78	31423 0 X	88	32609 0	73	33876 0	87
28856 0	78	31423 0 Y	88	32610 0	73	33885 0 A	56
28898 0	71	31424 0	88	32615 0	73	33886 0	56
28899 0 B	71	31425 0	65	32621 0 A	56	33942 0	87
28900 0	71	31427 0	65	32684 0	57	33956 0	87
28902 0	71	31439 0 B	59	32685 0	57	33957 0 A	87
28908 0	71	31441 0	59	32694 0 A	57	33960 0	112

I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.	I H C Part No.	Page No.
35048 OX	73	35238 O A	107	37148 0	59	39652 0	103
35051 O A	107	35239 O A	107	37149 0	59	39653 0	103
35052 O A	107	35240 0	87	37150 0	59	39654 0	103
35053 O A	107	35241 0	95	37151 0	112	39655 0	103
35054 0	107	35242 0	95	37152 0	59	39656 O X	103
35054 0	107	35244 O A	49	37259 0	107	39659 0	103
35055 O A	51	35244 O A	49	37290 0	102	39661 0	103
35056 0	51	35245 0	95	37290 0	102	39662 0	103
35057 0	51	35246 O A	49	37290 0	102	39663 0	03
35058 0	51	35247 O X	68	37290 0	102	39664 0	49
35059 0	51	35252 0	71	37291 0	75	39665 0	103
35060 0	101	35254 0	71	37292 0	91	39756 0	56
35061 0	94	35254 0	71	37303 0	112	39757 0	56
35062 0	94	35259 0	107	37319 0	75	39761 0	56
35063 0	94	35260 0	107	37327 0	49	39762 0	56
35064 0	101	35326 0	68	37372 0	105	39770 O X	56
35066 O X	94	35327 0	68	37372 0	112	39771 O A	75
35068 0	94	35328 0	68	37390 O A	48	39800 0	103
35069 0	91	35329 0	68	37392 O A	48	39810 0	56
35071 0	95	35330 0	68	37393 O A	48	39826 0	73
35072 O A	95	35331 0	56	37412 0	48	39868 0	103
35072 O A	111	35332 0	49	37427 O A	56	39870 0	103
35073 0	111	35333 O X	49	37428 O A	56	39875 0	103
35074 0	95	35463 0	49	37429 O A	56	39875 O X	103
35075 O X	95	35465 0	97	37430 O A	56	40160 0	83
35077 O A	101	35466 0	97	37478 O X	88	40519 0	102
35084 0	88	35558 0	49	37478 O X	88	40589 O X	48
35085 0	107	35630 0	102	37480 O X	88	40628 0	105
35086 0	107	35631 0	102	37480 O X	88	40630 0	105
35087 0	107	35648 0	102	37480 0	111	40631 0	105
35088 0	107	35649 0	102	37508 0	83	40634 0	105
35089 0	101	35676 0	107	37634 0	61	40635 0	105
35090 0	101	35678 0	107	37634 0	61	40636 0	105
35090 0	111	35678 0	111	37702 0	105	40638 0	105
35091 0	101	35680 0	107	37702 0	112	40640 0	105
35092 0	101	35682 0	107	37730 0	48	40641 0	105
35093 0	101	35689 0	50	37817 0	107	40642 0	105
35094 O X	101	35690 O A X	63	37822 0	107	40643 0	105
35095 0	102	35690 O A X	63	37824 0	107	40644 0	105
35096 0	102	35690 O A X	73	37855 O Y	48	40645 0	105
35097 0	102	35690 O A X	73	37911 0	88	40646 0	105
35097 0	111	35691 O X	73	37912 0	88	40647 0	105
35104 0	102	35694 0	109	37913 0	88	40648 0	105
35105 0	102	35695 0	109	37914 0	88	40649 0	105
35106 0	102	35696 0	109	37915 0	88	40650 0	105
35107 0	102	35704 0	102	37916 0	88	40652 0	105
35108 0	102	35705 0	49	37917 0	88	40653 0	105
35109 0	102	36039 0	49	37918 0	88	40654 0	105
35112 0	49	36136 0	71	37931 0	88	40655 0	105
35115 0	49	36180 0	107	37932 0	88	40656 0	105
35116 0	49	36182 0	107	37933 0	88	40657 0	105
35118 O A X	50	36184 0	107	37934 0	88	40657 0	105
35121 O X	50	36190 0	50	37935 0	88	40661 0	105
35122 O X	50	36201 O R	48	37936 0	88	40691 0	105
35125 0	49	36202 0	48	37937 0	88	40693 0	105
35126 0	87	36204 O A	48	37938 0	88	40697 0	105
35130 O X	95	36356 0	50	38002 0	109	40698 0	105
35132 0	102	36391 0	71	38041 0	78	40700 0	105
35134 0	102	36506 O A X	83	38100 0	75	40703 0	105
35136 O A X	83	36564 0	107	38120 0	48	40704 0	105
35137 O X	83	36566 0	107	38121 0	48	40711 0	105
35139 O X	83	36567 0	107	38122 0	48	40712 0	105
35144 0	102	36569 0	107	38123 0	48	40713 0	105
35148 0	83	36571 0	107	38124 0	48	40716 0	105
35149 0	102	36573 0	107	38125 0	48	40717 0	105
35152 0	102	36575 0	107	38146 0	48	40718 0	105
35154 0	111	36577 0	107	38490 0	95	40719 0	105
35161 O X	111	36579 0	107	38491 0	95	40722 0	105
35163 0	95	36581 0	107	38609 0	78	40723 0	105
35164 0	95	36695 0	68	38612 0	107	40725 0	105
35165 0	102	36741 0	67	38613 0	107	40738 0	105
35165 0	111	36742 0	67	38814 O X	56	40738 0	105
35167 0	102	36743 0	67	38829 0	50	40740 0	105
35173 O X A	49	36744 0	67	38830 O X	50	40822 0	91
35174 0	49	36783 0	65	38831 O X	50	41475 0	73
35175 0	49	36919 0	63	38833 0	112	41597 0	83
35176 0	49	36945 0	105	38892 0	67	41597 0	88
35186 0	50	36945 0	112	38893 0	67	42220 0	75
35197 O X	71	36946 0	105	39095 0	55	42221 0	75
35208 0	95	36946 0	112	39095 0	56	42522 0	102
35209 0	95	36947 0	105	39422 0	56	42523 0	102
35219 0	71	36948 0	105	39423 0	56	42687 O X	56
35221 0	49	36949 0	105	39423 0	56	42687 O Y	56
35236 O A	107	36970 0	107	39556 0	78	42692 0	56
35237 O A	107	36970 0	111	39567 0	105	42693 0	56
				39651 0	103	42717 0	56

CLICK ANYWHERE FOR MORE DETAILS

CLICK ANYWHERE FOR MORE DETAILS