



Owatonna

Parts Manual

285

**Windrower with
Attachments**

JENSALES.COM

or Call 800-443-0625

JENSALES

THIS IS A MANUAL PRODUCED BY JENSALES INC. WITHOUT THE AUTHORIZATION OF
OWATONNA OR IT'S SUCCESSORS. OWATONNA AND IT'S SUCCESSORS
ARE NOT RESPONSIBLE FOR THE QUALITY OR ACCURACY OF THIS MANUAL.

TRADE MARKS AND TRADE NAMES CONTAINED AND USED HEREIN ARE THOSE OF OTHERS,
AND ARE USED HERE IN A DESCRIPTIVE SENSE TO REFER TO THE PRODUCTS OF OTHERS.

OW-P-285 WIND


Parts Manual

CONTENTS

Air Cleaner	10
Auger	81
Auger Drive	66
Brakes	24
Conditioner	84
Decals	90
Deck Parts	30
Engine - Diesel	32
Engine - Gas	38
Fuel Tank	14
Gauge Wheel	82
Gear Box - Conditioner	88
Gear Box - Header	60
Header Drive - Tractor	8
Header Drive	62
Header Lift	56
Hydraulic Cylinders	58
Hydraulic Lines - Header	52
Hydraulic Lines - Oil Cooler	50
Hydraulic Lines - Power Wheel	44
Hydrostatic Unit	48
Instrument Panel	28
Muffler	10
Power Wheel	42
Power Wheel Motor	46
Radiator	10
Rear Wheels	6
Reel	74 - 78
Reel Drive	66
Seat	17 - 18
Shrouds	14
Sickle	72
Skid Shoes	82
Steering	20 - 22
Tractor Frame	4
Throttle	26
Valve	54
Vane Pump	47
Wiring - Diesel	35
Wiring - Gas	41
Wiring - Lights	36
Wobble Arm	70
Numerical Parts Listing	93

CLICK ANYWHERE FOR MORE DETAILS

REAR WHEELS



JENSALES.COM
or Call 800-443-0625

CLICK ANYWHERE FOR MORE DETAILS

REAR WHEELS (USED UP TO SERIAL NUMBER 1276)

REF	PART NO.	QTY	DESCRIPTION
1	120-32517	1	Rear axle frame weldment
2	010-10759	4	Oilite bushing
3	360-32435	1	Rear axle pivot retainer
	310-21630	1	Cap screw, 1/2-13 NC x 4 1/2
	400-10091	1	Lock washer, 1/2
	210-20678	1	Hex nut, 1/2-13 NC
	420-10170	1	Lube fitting, straight, 1/4-28 NF
4	120-32518	2	Caster fork weldment
	420-10170	2	Lube fitting, straight, 1/4-28 NF
5	400-11145	2	Oilite washer
	400-11140	2	Special washer
	400-10091	2	Lock washer, 1/2
	310-25580	2	Cap screw, 1/2-13 NC x 1
6	410-10765	1	Caster wheel hub
7	010-10764	4	Bearing cup
8	010-10763	4	Bearing cone
9	335-10762	4	Seal
	420-10170	2	Zerk, straight, 1/4-28 NF
10	030-10393	10	Lug bolts
11	320-32414	2	Axle bolt weldment, tail wheel
12	045-31339	2	Bushing
13	210-32081	2	Slotted hex nut, 1/2-10 NC
	220-17711	2	Cotter pin, 3/16 dia. x 1 1/4
14	410-32340	1	Tire, rib implement, 9.5L x 15
15	410-32341	1	Caster wheel rim

REAR WHEELS (USED STARTING WITH SERIAL NUMBER 1276)

REF	PART NO.	QTY	DESCRIPTION
1	120-32517	1	Rear axle - Standard
	120-32653	1	Rear axle - weighted optional
2	010-10759	4	Oilite bushing
3	360-32435	1	Rear axle pivot retainer
	310-21630	1	Cap screw, 1/2 - 13 NC x 4 1/2
	400-10091	1	Lock washer, 1/2
	210-20678	1	Hex nut, 1/2 - 13 NC
	420-10170	3	Lube fitting, straight, 1/4 - 28 NF
4	120-32670	2	Castor fork
5	400-11145	2	Oilite washer
	350-32398	2	Klip ring
6	410-32359	2	Hub
7	010-13792	4	Cup, bearing
8	010-13820	4	Bearing, cone
9	335-14531	4	Seal
10	030-11815	10	Wheel bolts
	210-21621	10	Lug nuts
11	320-32515	2	Axle
12	045-31372	4	Bushing
13	210-10396	2	Nut hex slotted, 1" - 14 NF
	220-10133	2	Cotter pin, 3/16 dia. x 1 1/2
	040-33172	2	Axle retainer
	310-26821	4	Whiz lock cap screw, 1/2 - 13 NC x 1 1/4
	210-19530	4	Nut hex lock, flanged, 1/2 - 13 NC
14	410-32340	2	Tire
15	410-32341	2	Wheel
	420-23622	2	Valve stem



HEADER DRIVE

REF	PART NO.	QTY	DESCRIPTION
1	260-32207	1	Pulley, 6 groove, 5" diameter
2	045-31331	2	Bushing, hub "P1", 1 1/4 bore, 1/4 keyway
3	180-10909	3	Key, 1/4 x 1/4 x 2
4	020-32187	1	Belt, 6 band, 3V
5	320-32457	1	Jack shaft, PTO
6	040-32988	1	Bearing support
	030-18541	2	Carriage bolt, 1/2-13 NC x 1 1/4
	400-10091	2	Lock washer, 1/2
	400-10093	2	Flat washer, 1/2
	210-20678	2	Hex nut, 1/2-13 NC
7	010-10041	4	Flangette, 72MS
8	010-17513	4	Bearing, 1 1/4
9	095-10043	4	Lock collar
	030-20318	12	Carriage bolt, 3/8-16 NC x 1
	400-18917	12	Lock washer, 3/8
	210-18915	12	Hex nut, 3/8-16 NC
10	260-32216	1	Pulley, 6 groove, 12 1/2 diameter
12	320-32458	1	Header PTO shaft
13	200-32413	1	Idler pivot weldment
14	040-32989	1	Anchor pivot
	030-20318	2	Carriage bolt, 3/8-16 NC x 1
	400-18917	2	Lock washer, 3/8
	400-18916	2	Flat washer, 3/8
	210-18915	2	Hex nut, 3/8-16 NC
15	220-32414	1	Idler arm pin
16	350-32366	2	Retaining ring
17	260-25753	1	Idler, flat, belt
18	360-25747	1	Bushing
	310-18908	1	Cap screw, 1/2-13 NC x 3 1/2
	400-10091	1	Lock washer, 1/2
	210-20678	1	Hex nut, 1/2-13 NC
19	390-32495	1	Belt guide
	310-19478	1	Whiz lock cap screw, 1/2-13 NC x 1
	400-10091	1	Lock washer, 1/2
	400-10093	1	Flat washer, 1/2
	210-20678	1	Hex nut, 1/2-13 NC
20	250-19364	1	Adjustable yoke
21	200-32275	1	Male yoke
	210-21349	1	Hex jam nut, 1/2-20 NF
22	220-19367	2	Clevis pin, 1/2 dia.
	220-10065	2	Cotter pin, 1/8 dia. x 1
23	100-32124	1	Flexible coupling
24	160-32469	1	Center disc
25	200-32434	1	Coupler end hydro - tapered
26	200-32435	1	Coupler end drive shaft, 1 1/4 bore
27	310-32435	6	Special bolt
28	210-32092	6	Slotted nut
	400-32380	6	Beaded washer
	220-10065	6	Cotter pin, 1/8 x 1
	310-18081	2	Set screw, 3/8 - 16 NC x 1/2
	180-17553	1	Key, 1/4 x 1/4 x 1/4
	400-32402	1	Washer special
	400-18917	1	Washer lock, 3/8
	310-22691	1	Screw cap, 3/8 - 24 NF x 1
29	160-32439	1	Support plate
	310-19478	6	Cap screw whiz lock, 1/2 - 13 NC x 1
	210-19435	6	Nut hex whiz lock, 1/2 - 13 NC