




Rumely

Parts Manual

15-25-L

Parts Manual

JENSALES.COM

or Call 800-443-0625



THIS IS A MANUAL PRODUCED BY JENSALES INC. WITHOUT THE AUTHORIZATION OF
RUMELY OR IT'S SUCCESSORS. RUMELY AND IT'S SUCCESSORS
ARE NOT RESPONSIBLE FOR THE QUALITY OR ACCURACY OF THIS MANUAL.

TRADE MARKS AND TRADE NAMES CONTAINED AND USED HEREIN ARE THOSE OF OTHERS,
AND ARE USED HERE IN A DESCRIPTIVE SENSE TO REFER TO THE PRODUCTS OF OTHERS.

RU-P-15-25

NO. 27

REPAIR PARTS LIST

FOR THE



Type "L" 15-25

OIL PULL TRACTOR

On account of high freight rates, all branches west of 105th meridian will add 10% to prices quoted in Supplementary lists.

ADVANCE-RUMELY THRESHER CO., INC.

LaPORTE, . . INDIANA

LIST OF BRANCH HOUSES ON BACK COVER

Index

	Page		Page
A			
Accessories	26	Inspection Plate	30
Air Cleaner	5	Intermediate Gear	30
Air Heater	6		
Axle, Front	14	I	
Axle, Rear	29		
B			
Bar, Draw	12	K	
Back Gear Shaft	27	Kerosene Tank	25
Belt Pulley	1		
Brake, Foot	2	L	
Brake Wheel	28	Lock Pinion Shaft	29
		Lubricator	19
C			
Cab	3	M	
Cab Fender Extension	32	Magneto	20
Cam Shaft	3	Master Pinion	29
Canopy	32	Master Gear	29
Carburetor	4		
Cleaner, Air	5	P	
Cleats	21	Piston	6
Clutch	1	Plug, Spark	20
Clutch Foot Lever Equipment	32	Pump, Fuel	4
Connecting Rod	6	Pump, Priming Gas	25
Cooling Pipe	7	Pump, Cooling	7
Cooling Pump	7	Pulley, Belt	1
Crank Case	9		
Crank Shaft	10	R	
Cylinder	9	Radiator	8
Cylinder Head	12	Rear Axle	29
		Rear Wheel	21
D			
Differential	28	Rear Wheel Extension	22
Draw Bar	12	Rear Wheel Scraper	23
E			
Exhaust Pipes and Parts	13	S	
Expansion Tank	24	Seat	3
Extension Rim Parts	22	Spark Plug	20
F			
Fly Wheel	11	Speed Adjusting Parts	19
Foot Brake	2	Spline Shaft	30
Frame	13	Steering Parts	14-23
Front Axle	14	Starter	23
Front Wheel	15		
Furrow Guide	31	T	
G			
Gasoline Tank	25	Tanks	24
Gear Cover	16	Throttle Parts	5
Gear Shifting Parts	16	Tools	26
Governor	18	Tool Box	26
Guide	31	Transmission	27
		Tubing	24
H			
Hand Starter	23	V	
Hitch	13	Valves, Inlet and Exhaust	12
		Valve Rods and Levers	30
I			
J			
K			
L			
M			
N			
O			
P			
Q			
R			
S			
T			
U			
V			
W			
X			
Y			
Z			

CLICK ANYWHERE FOR MORE DETAILS

CLICK ANYWHERE FOR MORE DETAILS

22 NO. 27 REPAIR PARTS LIST RUMELY TYPE "L" 15-25 OILPULL TRACTOR

CODE	No. of Part	DESCRIPTION
<i>25P2905</i> <i>Rim, Butt Plate Rivets</i> <i>Spokes, 16 to attach into</i>		
		EXTENSION RIM
		Regular 48"
For illustrations see page 41		
Aslehmform . A5P2906	2	EXTENSION RIM TIRE, with butt plate and rivets.
Lehmguuss .. S5P2909	16	Extension Rim Spoke, 2x $\frac{3}{8}$ x25".
Mocadao S520	32	Extension Rim Spoke to Hub Rivet, $\frac{1}{2}$ x1 $\frac{3}{8}$ ".
Modorra S711	32	Extension Rim Spoke to Tire Rivet, $\frac{1}{2}$ x1 $\frac{3}{8}$ ".
Lehmformen . S5P2907	2	Extension Rim Hub.
Lehmhaltig . S5P2910	16	Extension Rim Attaching Plate.
Mobile S501	32	Extension Rim Attaching Plate Mach. Bolt, $\frac{3}{4}$ x2", also used in attaching to rear wheel.
Midleg MA1008	32	Extension Rim Attaching Plate Lockwasher, $\frac{3}{4}$ ", also used in attaching to rear wheel.
Hymning . D4P2493-	32	Extension Rim Mall. Cleat.
Mitigamos S298	32	Extension Rim Mall. Cleat Mach. Bolt, $\frac{5}{8}$ x2 $\frac{1}{2}$ ".
Midland MA1007	32	Extension Rim Mall. Cleat Lockwasher, $\frac{5}{8}$ ".

ORCHARD WHEEL

44" Dia.

For illustrations see page 41

Asleichtlich . A5P3053	2	ORCHARD WHEEL ASSEMBLY. Use A5P3201 and GK388 for service.
Aslegeidis .. A5P3201	2	Orchard Wheel Assembly. Used on Tractor No. L1822 and since but will replace wheels previously used if accompanied by GK388 key. Includes next 8 items except 5th item.
Leichtmuth . S5P3054	2	Orchard Wheel Tire, 12x $\frac{7}{16}$ x136 $\frac{7}{8}$ ".
Leichtsinn .. S5P3055	2	Orchard Wheel Tire Butt Plate, 7x $\frac{3}{8}$ x11 $\frac{3}{4}$ ".
Modorra S711		Orchard Wheel Tire Butt Plate to Tire Rivet, $\frac{1}{2}$ x1 $\frac{3}{8}$ " rd. head.
Leidbitter .. C5P3056	2	Orchard Wheel Hub. Use C5P3202 and GK388 for service.
Lelegibus .. H5P3202	2	Orchard Wheel Hub. Used on Tractor No. L1822 and since but will fit tractors previously built if accompanied by GK388 key.
Leidekker .. S5P3057	28	Orchard Wheel Spoke.
Modorra S711	56	Orchard Wheel Spoke to Tire Rivet, $\frac{1}{2}$ x1 $\frac{3}{8}$ " rd. head.
Modulabas S713	84	Orchard Wheel Spoke to Hub Rivet, $\frac{1}{2}$ "x2 $\frac{1}{8}$ " rd. head.
Leimig S5P3102	16	Angle Cleat, 2 $\frac{1}{2}$ " high.
Leimkessel . S5P3103	16	Angle Cleat, 2 $\frac{1}{2}$ " high.
Mobile S501	64	Angle Cleat Mach. Bolt, $\frac{3}{4}$ "x2".
Midleg MA1008	64	Angle Cleat Lockwasher, $\frac{3}{4}$ ".
Leimgrund . D5P3100	16	Penna. Malleable Cleat, R.H.
Leimhammer D5P3101	16	Penna. Malleable Cleat, L.H.
Mistacino S157	64	Penna. Malleable Cleat Mach. Bolt, $\frac{3}{4}$ "x2 $\frac{1}{2}$ ".
Midleg MA1008	64	Penna. Malleable Cleat Lockwasher, $\frac{3}{4}$ ".
Leidlicher .. C5P3066	28	Non-turn Spade Cleat, R.H., 5 $\frac{1}{2}$ " high.
Leidmantel . C5P3067	28	Non-turn Spade Cleat, L.H., 5 $\frac{1}{2}$ " high.
Ladylike C5P468	28	Non-turn Spade Cleat, R.H., 4 $\frac{1}{2}$ " high.
Ladyship C5P469	28	Non-turn Spade Cleat, L.H., 4 $\frac{1}{2}$ " high.
Muchacheza . C4P4579	56	Spade Cleat, regular, 3 $\frac{3}{8}$ " high.
Muchacho .. C4P4580	56	Spade Cleat, regular, 4 $\frac{1}{2}$ " high.
Mucharum .. C4P4581	56	Spade Cleat, regular, 5 $\frac{1}{2}$ " high.

Note:—All spade cleats are attached by one S157 mach. bolt and one MA1008 lockwasher.

ORCHARD WHEEL EXTENSION RIM

Asleimwasser A5P3120	2	ORCHARD WHEEL EXTENSION RIM. Tire only. 7 inch face.
Asleontofono A5P3458	2	Orchard Wheel Extension Rim, 12 inch face.
Leimzimmer . S5P3121	14	Orchard Wheel Extension Rim Spoke.

Consult Supplement for Prices

32 NO. 27 REPAIR PARTS LIST RUMELY TYPE "L" 15-25 OILPULL TRACTOR

CODE	No. of Part	DESCRIPTION
Lagostomus . S5P614	1	Furrow Guide Lift Chain Pulley Bracket.
Marsgasten 757	2	Furrow Guide Lift Chain Pulley Bracket Cap Screw, $\frac{5}{16} \times \frac{3}{4}$ ".
Midinis MA1004	2	Furrow Guide Lift Chain Pulley Bracket Lockwasher, $\frac{5}{16}$ ".
Loodmijnen . S5P6231	1	Furrow Guide Lifting Lever.
Moahedim S487	1	Furrow Guide Lifting Lever Mach. Bolt, $\frac{3}{8} \times 1\frac{1}{4}$ ".
Matrissage 1273	1	Furrow Guide Lifting Lever Nut, $\frac{3}{8}$ ".
Hydrophide ... W4A1	1	Furrow Guide Lifting Lever Handle.
Modekwaaf S589	1	Furrow Guide Lifting Lever Handle Bolt, $\frac{3}{8} \times 5$ ".
Mistelchen S165	1	Furrow Guide Lifting Lever Handle Washer, $\frac{3}{8}$ " Std.
Lagostome ... S5P613	1	Furrow Guide Lifting Lever Bracket.
Moahedim S487	1	Furrow Guide Lifting Lever Bracket Mach. Bolt, $\frac{3}{8} \times 1\frac{1}{4}$ ".
Midinorum .. MA1005	1	Furrow Guide Lifting Lever Bracket Lockwasher, $\frac{3}{8}$ ".

CANOPY EQUIPMENT

For illustrations see page 45

Asleinkuchen A5P3136	1	Canopy.
Leinwand .. S5P3144	1	Canopy Post, front, right, $2 \times 2 \times 49\frac{1}{2}$ ". Used prior to Tractor No. L2300.
Lenguetazo . S5P3300	1	Canopy Post, front, right, $2 \times 2 \times 50\frac{3}{4}$ ". Used on Tractor No. L2300 and since.
Leinweber .. S5P3145	1	Canopy Post, front, left, $2 \times 2 \times 49\frac{1}{2}$ ". Used prior to Tractor No. L2300.
Lenhador ... S5P3301	1	Canopy Post, front, left, $2 \times 2 \times 50\frac{3}{4}$ ". Used on Tractor No. L2300
Leisurable .. S5P3154	1	Canopy Post, rear, right, $2 \times 2 \times 77\frac{1}{2}$ ". Used prior to Tractor No. L2300.
Lemniacam . S5P3240	1	Canopy Post, rear, right. $2 \times 2 \times 74\frac{7}{16}$ ". Used on Tractor No. L2300 and since.
Leisurely ... S5P3155	1	Canopy Post, rear, left, $2 \times 2 \times 77\frac{1}{2}$ ". Used prior to Tractor No. L2300.
Lemniacos .. S5P3241	1	Canopy Post, rear, right, $2 \times 2 \times 74\frac{7}{16}$ ". Used on Tractor No. L2300 and since.
Leitarao ... S5P3156	4	Canopy Post Brace, $1\frac{1}{4} \times \frac{1}{4} \times 18$ ".
Lentitud ... R5P3389	1	Canopy Post Fender Reinforcement. Used on Tractor No. L4400 and since.
Lenullum .. R5P3400	2	Canopy Top Brace. Used on Tractor No. L4400 and since.
Lenzgewand .R5P3409	2	Canopy Brace Plate. Used on Tractor No. L4400 and since.

CAB FENDER EXTENSION EQUIPMENT

For illustrations see page 45

Lensschelp . R5P3344	1	Cab Fender Extension, right.
Lentaggine . R5P3345	1	Cab Fender Extension, left.
Lentamente . R5P3346	2	Cab Fender Extension Brace.
Lemniscis .. R5P3246	2	Fly Wheel Guard.

WINTER WATER SUPPLY OUTFIT

For illustrations see page 45

Aslenifying . A5P3314	1	Winter Water Supply Tank.
Aslenigheid . A5P3318	1	Winter Water Feed Valve Body Ass'm.
Lezzona B5P4016	1	Winter Water Feed Valve Body only.
Liculis K5P4019	1	Winter Water Feed Valve Spring.
Lenigden ... S5P3315	1	Winter Water Tank Support.
Lenigende .. S5P3316	2	Winter Water Tank Support Bracket.
Aslenifico ... A5P3310	2	Winter Water Tank Clamp.
Leniging ... K5P3319	3	Winter Water Tank Cushion.
Miltmiddel .. MA1309	2	Winter Water Line Tube Connector, $\frac{3}{8}$ ".
Miltvormig .. MA1313	2	Winter Water Line Tube Connector Nut, $\frac{3}{8}$ ".


CLUTCH FOOT LEVER EQUIPMENT

For illustrations see page 45


Liberalao ... S5P4099	1	Clutch Foot Lever.
Lentisco S5P3386	1	Clutch Foot Lever Bracket.
Aslentiscino . A5P3385	1	Clutch Foot Lever Rod Ass'm.
Harmonic ... S4P2656	1	Clutch Foot Lever Block.
Asleporello . A5P3534	1	Clutch Hand Lever.

Consult Supplement for Prices


Front Axle




Frame



Front Wheel



Canopy



Rear Wheel Scraper

